

# HARRISON WEST COMMUNITY STREET TREE INVENTORY SUMMARY REPORT



# TREE INVENTORY EXECUTIVE SUMMARY



# **HARRISON WEST COMMUNITY**

### **PROJECT OVERVIEW**

In 2022, the City of Columbus Recreation and Parks Department commissioned an update to the city's existing street tree inventory in the Harrison West neighborhood. This project directly supports the implementation of the recently completed Columbus Urban Forestry Master Plan, which establishes a vision and future goals for Columbus' urban forest.

### **COMMUNITY OVERVIEW**

Harrison West has an estimated population of 4,254 residents and contains 13.5 miles of city-maintained streets. The community encompasses 0.55 square miles of land area and accounts for 0.25% of the City of Columbus' total area. Current canopy cover within Harrison West is estimated to be 16%.

### VISION FOR THE URBAN FOREST

To prioritize, preserve, and grow the tree canopy in Columbus equitably across neighborhoods, to improve health and quality of life for all residents.

### **COLUMBUS' URBAN FOREST GOALS**

GOAL 1. 40% CITYWIDE CANOPY COVER (BY 2050) GOAL 2. STOP NET CANOPY LOSS (BY 2030) GOAL 3.
EQUITABLE
INVESTMENT
(BY 2030)

# 1,146 Sites Inventoried

977 157 12Trees Planting Sites Stumps





### OVERALL CONDITION OF HARRISON WEST'S INVENTORIED TREES: FAIR

**23% 72% 4% 1%** 

Good Fair Poor Dead



### **Contact Info**

City of Columbus Recreation & Parks Dept. 1111 East Broad Street Columbus, Ohio 43205




### **Inventory Details**

DRG's team of ISA Certified Arborists completed the tree inventory in 2022.

### TREES BY MAINTENANCE RECOMMENDATION

# YOUNG TREE TRAINING 20% REMOVAL 4% TREE CLEANING 76%

### PLANTING SITES BY TREE SIZE



# \$1.75 million

Estimated value of Harrison West's inventoried street trees.

## 7.6 metric tons

Annual CO, captured

### 0.2 metric tons

Annual air pollutants removed

# 133,229 gallons

Annual stormwater runoff intercepted




### **CREATING EQUITABLE CANOPY COVER**

Implementation of the following action steps will significantly increase canopy cover over time, provide greater value and more benefits to Harrison West's residents, and help the city realize its vision and achieve its goals for the urban forest.

### THE WAY FORWARD: ACTION STEPS

- 1. Preserve and maintain existing canopy.
- 2. Prioritize planting of large- and medium-size planting sites.
- **3.** Develop neighborhood tree planting initiatives and community outreach focused on planting trees on private property.
- 4. Explore retrofitting existing street infrastructure and updating design standards to expand and improve available tree growing spaces.



Current levels of community and citywide canopy coverage compared to the city's 2050 canopy goal.



### **Contact Info**

City of Columbus Recreation & Parks Dept. 1111 East Broad Street Columbus, Ohio 43205



### **Inventory Details**

DRG's team of ISA Certified Arborists completed the tree inventory in 2022.

### **TABLE OF CONTENTS**

	Ex	ecutive Summary	i
		ction 1: Structure, Composition, and Maintenance	
		ction 2: Tree Benefits	
		ction 3: Future Considerations	
T/	<b>AB</b> I	LES	
	1.	Tree age by growing size at maturity and diameter size class	8
		Estimated benefits provided by Harrison West's street trees	
FI	GU	IRES	
	1.	Quantity of inventoried sites by site type.	4
	2.	Species distribution of inventoried trees.	
	3.	Genus distribution of inventoried trees.	6
	4.	Condition of inventoried trees.	7
	5.	Distribution of relative tree age by diameter size class.	9
	6.	Primary maintenance recommendations for 977 trees in the Harrison West neighborhood, by type	9
	7.	Vacant planting sites by size.	11
M	<b>AP</b>	Sites inventoried during the 2022 Harrison West community street tree inventory	5
		ones inventoried during the 2022 fluitioon view community street tree inventory	••••



Notice of Disclaimer: Inventory data provided by Davey Resource Group, Inc. "DRG" are based on visual recording at the time of inspection. Visual records do not include individual testing or analysis, nor do they include aerial or subterranean inspection. DRG is not responsible for the discovery or identification of hidden or otherwise non-observable hazards. Records may not remain accurate after inspection due to the variable deterioration of inventoried material. DRG provides no warranty with respect to the fitness of the urban forest for any use or purpose whatsoever. Clients may choose to accept or disregard DRG's recommendations or to seek additional advice. Important: know and understand that visual inspection is confined to the designated subject tree(s) and that the inspections for this project are performed in the interest of facts of the tree(s) without prejudice to or for any other service or any interested party.



### **SECTION 1: STRUCTURE, COMPOSITION, AND MAINTENANCE**

The City of Columbus Recreation and Parks Department (CRPD) designated the street rights-of-way (ROW) within the Harrison West community as an area of interest for an on-going update to the city's existing GIS-based public tree inventory. The Harrison West community street tree inventory supports the *Columbus Urban Forestry Master Plan* (CUFMP).

### 1,146 SITES INVENTORIED

In 2022, DRG arborists performed field data collection and catalogued new data on potential viable planting sites, existing trees, and tree stumps located within the ROW of the Harrison West community (Figure 1).

### Of the 1,146 total inventoried sites:

85% = Existing street trees

14% = Potential planting sites

1% = Existing stumps



Figure 1. Quantity of inventoried sites by site type

### Lack of planting spaces limits canopy growth potential

*Stocking level* is a forestry term used to report the ratio of existing street trees to the total number of suitable tree locations within the street ROW, which includes trees, stumps, and vacant planting locations.

The stocking level of the Harrison West right-of-way is currently 85%. When stocking rate is high but canopy is not, there is likely a lack of available planting spaces. In order to grow canopy in Harrison West, CRPD should focus on identifying new places to plant trees, either in the right-of-way, in public greenspaces, or on private property. These efforts should be driven by the results of the inventory update and analysis.





Map 1. Approximate locations of sites inventoried during the 2022 Harrison West community street tree inventory.

### IMPROVE TREE POPULATION DIVERSITY

Urban forest resiliency is positively correlated with tree population diversity; greater diversity helps reduce exposure to harmful pests and disease which can target individual tree species, groups of species, or even entire tree genera.

Species and genus diversity distributions offer a critical measure of a tree population's resiliency to such attacks and help managers to identify and remedy potential areas of overexposure.

When assessing tree population diversity, it is widely accepted that no more than 10% of an urban tree population should be composed of a single species and no greater than 20% from a single genus.

### **Species Distribution is Skewed**

A total of 125 unique tree species were catalogued. Of the five most abundant tree species recorded during the inventory, one species, callery pear, exceeded the recommended 10% threshold (Figure 2). Callery pear (*Pyrus calleryana*) is the most abundant species found within the community's street ROW, accounting for 31% of all inventoried trees.

### **Genus Distribution is Skewed**

Harrison West has 56 unique tree genera, or groups of tree species, that are closely related (Figure 3).

Two genera, *Pyrus* and *Acer*, are the most common in the community, making up a total of 55% of the tree population. The genus *Pyrus*, composed of pear trees, accounts for 31% of the entire inventoried population—much higher than the suggested threshold of 20%—and *Acer*, composed of maples, is 24% of the inventoried population.

### Pear and Maple Trees are Overrepresented

Future planting initiatives should minimize the installation of additional pears and maples within Harrison West until representation of the genera *Pyrus* and *Acer* falls within the recommended 20% threshold.

Callery pear trees are invasive, prone to breakage, and short-lived in the urban environment.

Maple trees are susceptible to a variety of harmful pests and disease, including the fungal pathogen Verticillium wilt (*Verticillium* spp.) and the invasive Asian longhorned beetle (ALB, *Anoplophora glabripennis*). Improved genus diversity will reduce the potential for tree loss and help ensure long-term urban forest health and viability.




Figure 2. Species distribution of inventoried trees.




Figure 3. Genus distribution of inventoried trees.





**Above:** Callery pear along a roadside. Photo: Joe Boggs, Ohio State Extension BYGL

**Left:** Sugar maple with Verticillium wilt. Photo: Jerry Weiland, USDA-ARS.

### **OVERALL TREE CONDITION IS FAIR**

The condition of each inventoried tree was evaluated and rated as good, fair, poor, or dead. Several factors affecting condition were considered for each tree, including root characteristics, branch structure, trunk, canopy, foliage condition, and the presence of pests.

The general health of the inventoried tree population is characterized by the median average condition rating. Overall, Harrison West's street trees are in fair condition (Figure 4).

### **Routine Inspections are Key**

Proactive monitoring helps identify, prevent, and mitigate concerns. Routine tree inspections are necessary to monitor for changes in tree condition, the presence of pests and/or disease, or the worsening of existing defects – particularly among trees rated in poor condition.

Poor condition ratings are generally due to visible signs of decline and stress, such as decay, dead limbs, or discolored foliage. If retained, these trees will likely require corrective pruning and intensive plant health care to improve their vigor. Dead trees and trees with defects that cannot be remedied should be removed as soon as possible.




Figure 4. Condition of inventoried trees.

Routine inspection helps keep trees healthy, like the trees pictured here along Pennsylvania Avenue.



### TREE DIAMETER-AGE DISTRIBUTION

Understanding the relative age of a tree population can help planners align future management strategies with current policy goals. To determine relative tree age, DRG first categorized Harrison West's inventoried tree population by small- and large-growing trees and then assigned each tree to an age grouping based on the tree diameter measured at breast height (DBH) as outlined in Table 1.1

**Table 1.** Tree age by growing size at maturity and diameter at breast height (DBH)

Relative Tree	<u>Large-Growing</u>		Small-Growing		Combined
Age	DBH	Quantity	DBH	Quantity	Quantity
Young	0-8"	258	0-4"	78	336
Established	9–17"	304	5–8"	69	373
Maturing	18–24"	120	9–12"	50	170
Mature	> 24"	73	>12"	25	98

The relative age distribution of Harrison West's inventoried tree population was then compared to an ideal distribution for an expanding urban forest, which suggests the tree population composition be equivalent to 40% young trees, 30% establishing, 20% maturing, and 10% mature trees (Figure 5).

### A Gap in Age Classes Exists

Overall, 34% of Harrison West's inventoried trees are classified as young, compared to an ideal level of 40%, and 38% of inventoried trees are in the established size class, compared to an ideal of 30%. Any overabundance of age classes has the potential to create a management issure in the future as a specific maintenance prescription is needed at a high volume (e.g. young tree training). Future maintenance should prioritize activities that help establish these young trees in the urban landscape through pruning to train future tree growth, watering programs, and routine tree health inspections.

# Maturing and Mature Trees are Well-Represented

For both large-growing and small-growing trees, the largest size classes of trees are well represented in the street tree population. 17% of trees are in the maturing size class which is close to the ideal threshold of 20%, and 10% of trees are in the mature size class, which meets the ideal threshold. Both age classes have more small-growing trees than large growing trees, which means that the benefits of large trees could be lost if large-growing mature trees are replaced bv smaller-growing Maintenance and preservation of existing trees in these age groups is critical to ensure uninterrupted canopy expansion succession of the urban forest.




Figure 5. Distribution of relative tree age by diameter size class.

and

<sup>&</sup>lt;sup>1</sup> Tree size is only a rough approximation of tree age; tree size alone is not a definitive or appropriate measure of tree age. In the urban environment in particular, numerous factors play a role in determining tree size, including the availability of water, soil, and sunlight, proper tree care and planting techniques, the presence of pests and pathogens, etc.

### TREE MAINTENANCE RECOMMENDATIONS

During the inventory, DRG arborists assigned a primary recommended maintenance activity to each of the 977 inventoried trees (Figure 6).

City managers generally prioritize maintenance activities by risk. For example, a large dead tree by a busy intersection should be removed before a small dead tree at the end of a little-used secondary street.

### PRIMARY MAINTENANCE CATEGORIES

### Tree Cleaning = 698 Trees

Tree cleaning describes pruning to remove dead, dying, broken, decayed, and/or crossing limbs. Trees in this category are recommended for inclusion in a regularly scheduled, routine maintenance program. Over time, routine pruning minimizes the occurrence of reactive maintenance.

### Tree Removal = 36 Trees

Within Harrison West, 36 trees are designated for removal. City Forestry only removes trees that are hazardous: either dead, dying, or dangerous to public safety.

### Young Tree Training = 180 Trees

Younger trees can have branch structures that lead to potential problems as the tree ages. These trees should be pruned to train future growth patterns and correct or eliminate weak, interfering, or objectionable branches to minimize future maintenance requirements.




Figure 6. Primary maintenance recommendations for 977 trees in the Harrison West neighborhood, by type.

### **SECTION 2: TREE BENEFITS**

### STRUCTURAL VALUE OF HARRISON WEST'S STREET TREES: \$1.75 MILLION

Trees are critical to public health and contribute significantly to quality of life for every community resident. In addition to improving air quality, water quality, and alleviating heat stress, trees provide significant social benefits such as reducing mental stress, encouraging greater neighborhood-level involvement, and fulfilling spiritual and aesthetic needs. Structural value calculates the cost it would take to replace trees, meaning that all of the street trees in Harrison West are estimated at \$1.75 million.

Because of the significant value of these benefits, cities across the country now recognize trees are critical infrastructure. In fact, they are the only type of infrastructure that increases in value over time and have been proven to pay for themselves. Urban trees in the Midwest consistently provide benefits value three times more than the cost to maintain them.<sup>2</sup>

The 977 street trees inventoried within the Harrison West community provide an ecosystem value of \$76,957 through air filtration, water quality improvements, and carbon storage—and those are just the

**Table 2.** Estimated benefits provided by Harrison West's street trees

Category	Value	
Ecosystem Services	\$76,956.80	
Structural Value	\$1,750,292.59	
Combined Value	\$1,827,249.39	
Per Tree Average	\$1,870.27	

benefits quantified by this analysis (Table 2). Trees also boost property values, reduce energy costs, lower crime rates, and help create more successful business districts.<sup>3</sup>

### **ECOSYSTEM SERVICES**

### **Annual Carbon Captured – 16,887 pounds**

As the primary greenhouse gas driving climate change, carbon dioxide (CO<sub>2</sub>) impacts people, property, and the environment. Trees are carbon sinks—constantly absorbing CO<sub>2</sub> from the atmosphere and storing it within tree tissue. Over the course of their lifetime, Harrison West's inventoried trees have captured over 380 metric tons of carbon. Using trees to sequester CO<sub>2</sub> is a key part of the *Columbus Climate Adaptation Plan*'s goal to make the city more resilient.

### Annual Air Pollution Removed - 507 pounds

Ozone and particulates can especially aggravate existing respiratory conditions (like asthma) and create long-term chronic health problems. Trees absorb gaseous pollutants such as ozone during respiration and intercept particulate pollutants, such as PM<sub>2.5</sub>s, from entering the atmosphere by trapping them on plant surfaces.

### Annual Rainwater Intercepted - 133,229 gallons

As cities grow, land that naturally absorbs rainwater (i.e., lawns, parks, fields) tends to be replaced by hard surfaces that cause rain to runoff (i.e., roads, buildings, parking lots). Rainwater flowing over these hard surfaces accumulates pollutants, and the contaminated stormwater flows into overloaded sewers, ultimately reaching the local lakes and streams. Polluted water is a major cause of human health issues and degrades the local ecology. Tree leaves intercept rainwater as it falls, which slows the rate at which stormwater enters sewer systems.

### STRUCTURAL VALUE - \$1.75 million

Structural value represents the cost to replace a given tree with an identical one. Structural value increases over time as more trees are planted and existing trees mature. The total value of the Harrison West community forest will grow considerably in future years as more trees are planted, existing trees are maintained and become healthier, and the city works toward achieving the goals of the *Columbus Urban Forestry Master Plan*.

<sup>&</sup>lt;sup>2</sup> Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao, Qingfu. 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Forest Service, Pacific Southwest Research Station. 115 p.

See the Columbus Urban Forestry Master Plan for in-depth discussion on tree benefits and their impact on the city's residents.

### SECTION 3: FUTURE CONSIDERATIONS

Every neighborhood deserves access to the benefits trees provide. With an estimated 18% canopy cover in Harrison West, retaining and growing canopy cover in the neighborhood is crucial for achieving citywide urban tree canopy goals. Realizing the vision and achieving the goals of the Columbus Urban Forestry Master Plan will take planned strategic effort guided, in part, by data analysis and application.

### 157 POTENTIAL PLANTING SITES

A key objective of the tree inventory update is to catalog and analyze growing spaces along the neighborhood's street ROW. Analysis results will inform future planting initiatives and help ensure the selection of the most appropriate tree species given the available growing spaces within the neighborhood.

DRG arborists found a total of 157 vacant sites suitable for planting trees. 4 Vacant planting sites were evaluated for suitability for trees and characterized by size and type. DRG considered the presence of existing utilities, overhead lines, and distances from stop signs, fire hydrants, driveways, and other existing infrastructure in the evaluation of planting sites. Close to half of these sites (49%) could accommodate trees species that are mediumsized at maturity (Figure 7).

Tree lawns and parkways had the most opportunity for tree planting, with the ability to accommodate 111 trees, followed by open space, which could be planted with an additional 41 trees between restricted and unrestricted open space types.

### **80 Small Planting Sites**


- Best suited for small-maturing trees.
- Minimum width of 3 to 5 feet.
- Located at least 20 feet from another tree.
- Includes all sites with overhead utilities, regardless of site width.

### 31 Medium Planting Sites

- Best suited for medium-maturing trees.
- Minimum width of 5 to 7 feet.
- Located at least 30 feet from another tree.

### **46 Large Planting Sites**

- Best suited for large-maturing trees.
- Minimum width of greater than 7 feet.
- Located at least 40 feet from another tree.
- The highest quality potential planting site.



**Planting Site Size** 

Figure 7. Vacant planting sites by size.

### PLANTING CONSIDERATIONS

Site Selection: Urban environments constrain what tree species are appropriate. Existing infrastructure such as utilities and sidewalks, growing space size, and other trees all impact what tree is appropriate for a site.

Tree Selection: Tree species should be resilient to the urban environment, diverse, and the appropriate height and width for the growing space.

Blocking an unsightly view or creating shade may be a priority, but the impact of a tree on its environment – and vice versa – must be considered. Sustainable and successful planting initiatives select tree species that thrive and flourish in the chosen planting location in a way that harmonizes with the surrounding urban environment.



<sup>&</sup>lt;sup>5</sup> All planting locations will require further investigation by the city and CRPD prior to any final determination of suitability for planting. Harrison West Community

### AN ABUNDANCE OF TREES

**The good news:** A high stocking rate relieves the pressure to mount an urgent planting campaign in Harrison West. With a stocking rate of 85%, the right-of-way has plenty of trees.

The better news: There is room to continue planting in Harrison West (Figure 7). Out of the available planting sites, 49% are suited for large and medium trees. Larger-maturing trees provide more environmental benefits and canopy cover over the course of their lifetime than small trees. Planting medium and large trees is more impactful to improving canopy cover.

### THE WAY FORWARD: ACTION STEPS

Investing in equitable canopy does not just entail increasing overall tree canopy cover through planting, but also addressing the quality of the trees, caring for the existing trees, planning for trees within the different land uses and infrastructure, and reaching out to residents about the importance of trees.

In Harrison West, we know that existing canopy cover is insufficient, and the community needs equitable investment. Planting sites are not readily available, and their smaller size diminishes their potential for improving the urban forest. Given this set of facts, what can be done in Harrison West to maximize growth of the neighborhood forest for the benefit of its residents, stakeholders, and the entire City of Columbus?

### **Maintain and Preserve Existing Trees (Near-Term)**

It takes a long time for a young tree to become a large, stately mature shade tree. Preserving what is already there is a major component of an urban forest growth strategy.

### **Prioritize Planting of Large and Medium Sites (Short-Term)**

Larger trees provide residents with greater benefits. Within Harrison West, 46 large and 31 medium sites were identified. Planting in these locations will increase the amount of street trees by 8% and provide a solid foundation for maintaining and improving community canopy cover.

### **Explore Planting Beyond the Right-of-Way (Intermediate-Term)**

Where insufficient space or overhead utilities restrict available planting options, planting on private property or in public greenspaces can allow for the selection of more desirable tree species. Urban forestry stewardship on private property will require education and outreach initiatives, as well as easy and low-cost access to trees.

### **Expand Right-of-Way Growing Spaces (Intermediate to Long-Term)**

Future policy initiatives should consider options to improve available grow space, including retrofitting existing infrastructure and implementing design standards that provide adequate grow space for trees within street rights-of-way. Examples include the addition of bump-outs, expanding the size of tree lawns during utility or development projects, and exploring the use of green infrastructure technologies (e.g., silva cells, structural soils). Ensuring canopy equity requires sufficient growing space for trees to survive and thrive in an urban setting.