



GENERAL NOTES:

1. FOR GROUPS OF TREES PLACE BARRICADES BETWEEN TREES AND CONSTRUCTION ACTIVITY AT THE EDGE OF THE TREES CRITICAL ROOT ZONE.
2. TREE PROTECTION IS REQUIRED WHEN CONSTRUCTION ACTIVITY ENCROACHES ON THE CRITICAL ROOT ZONE OF A TREE.
3. SEE COLUMBUS TREE TECHNICAL MANUAL FOR ADDITIONAL TREE PROTECTION REQUIREMENTS.



1

TREE PROTECTION

SECTION

NTS

STANDARD DRAWINGS



THE CITY OF
COLUMBUS
RECREATION AND PARKS

PLANTING

TREE PROTECTION

DATE DRAWN
07/2024

SHEET
1 OF 1

STANDARD DRAWING

600-604

GENERAL NOTES:

1. FOR GROUPS OF TREES: PLACE BARRICADES AT THE TREE PROTECTION ZONE AROUND THE GROUPS PERIMETER.
2. INSTALLATION OF TREE PROTECTION BARRICADES SHALL BE PERFORMED BEFORE ANY SITE DEVELOPMENT OR SITE DEMOLITION ACTIVITY TAKES PLACE.
3. THE TREE PROTECTION BARRICADES SHALL REMAIN IN PLACE THROUGHOUT THE CONSTRUCTION PHASE AND UNTIL ALL SITE DEVELOPMENT ACTIVITIES ARE FULLY COMPLETE. ALL TREE PROTECTION FENCING AND WOOD CHIP MULCH SHALL BE REMOVED AT THE COMPLETION OF THE PROJECT. ANY REMOVAL OF CHIPS MUST BE DONE BY HAND.
4. ANY DAMAGE THAT MAY OCCUR TO THE BARRICADES SHALL BE REPAIRED OR REPLACED TO THE ORIGINAL SPECIFICATIONS WITHIN 24 HOURS OF THE DAMAGE OCCURRING.
5. THE AREA WITHIN THE TREE PROTECTION BARRICADES SHALL NOT BE USED FOR THE STORAGE OF ANY MATERIALS, SUPPLIES OR DEBRIS OR THE DISPOSAL OF ANY SOLID, LIQUID OR GASEOUS MATERIALS THAT COULD CAUSE HARM TO THE TREES.
6. PUBLIC TREES THAT ARE DAMAGED DUE TO IMPROPER OR INSUFFICIENT TREE PROTECTION ARE WARRANTED FOR 1 YEAR POST-CONSTRUCTION AND ARE SUBJECT TO TREE MITIGATION .
7. MONETARY TREE VALUE SHALL BE DETERMINED BY USING THE GUIDE FOR PLANT APPRAISAL, PUBLISHED BY THE INTERNATIONAL SOCIETY OF THE ARBORICULTURE OR OTHER SOURCES AS DETERMINED BY THE CITY FORESTER.
8. BARRICADES ARE REQUIRED TO BE IN PLACE AROUND ALL TREES TO REMAIN BEFORE CONSTRUCTION ACTIVITIES COMMENCE.
9. ANY PROPOSED UNDERGROUND UTILITIES SHALL BE ROUTED AROUND PROTECTED TREES TO THE OUTSIDE OF THE TREE'S DRIPLINE. IF THIS IS NOT FEASIBLE, AS DETERMINED BY THE COUNTY, A SLEEVE MAY BE USED UNDER THE TREE, PROVIDED THAT ALL ACCEPTABLE HORTICULTURAL/ARBORICULTURAL PRACTICES ARE ADHERED TO. ANY WORK WITHIN THE TREE PROTECTION ZONE MUST BE APPROVED VIA A FORESTRY PERMIT.

STANDARD DRAWINGS



THE CITY OF
COLUMBUS
RECREATION AND PARKS

PLANTING

NOTES

DATE DRAWN

07/2024

SHEET

1 OF 1

STANDARD DRAWING

00000